

**FIBROCEM™**

## **Fibrocem Pliolite™ Based Façade Coating (Pliotec F1)**

High Performance Architectural Façade Solution



# Fibrocem Pliolite™ Based Façade Coating (Pliotec F1)

High Performance Architectural Façade Solution



## INTRODUCTION

Fibrocem Pliolite Based Façade Coating is a premium, solvent borne coating that is roller or spray applied formulated for exterior use on cement rendering, brick, roughcast and concrete. It provides a self-stabilising smooth matt finish that has excellent adhesion to previously painted surfaces.

The Pliolite resin enables application at temperatures down to -20c and becomes shower proof in 20 min, allowing all year round application.



## WHY USE FIBROCEM PLIOLITE™ BASED FAÇADE COATING?

- DURABILITY, the key to a trouble free future
- 35 years formulating masonry coatings
- Excellent adhesion
- Self Cleaning
- Mildew and algae resistant
- Highly weather resistant
- Roller or Spray Applied

### SELF CLEANING

Fibrocem Pliolite Based façade Coating has excellent self cleaning properties; a few microns of the surface are gradually eliminated by rain, this process allowing the surface to self clean.

**Water Repellent**  
**Highly Weather Resistant**  
**Formulated with Pliolite resin technology**

Fibrocem Pliolite Based Façade Coating incorporates Pliolite resins as an integral part of the coating. This Pliolite resin imparts a high degree of water repellency to the coating surface whilst allowing vapour to pass through the coating allowing the substrate to breath.



**WATER REPELLENT**  
**HIGHLY WEATHER**  
**RESISTANT**  
**FORMULATED WITH**  
**PLIOLITE™ RESIN**  
**TECHNOLOGY**

STANDARD COLOUR RANGE. (Special colours can be made to order. Please consult our technical department).



RED BRICK



CREAM



ENGLISH ROSE



LIGHT GREY




LIGHT STONE



MAGNOLIA



PORTLAND



SLATE GREY



WHITE



YORKSTONE

Whenever possible please obtain samples prior to specification.

**HIGH BUILD TEXTURE ALSO AVAILABLE**



Fibrocem Wall Protection Systems are designed to withstand the toughest conditions. Attractive and practical, every product has a proven track record of performance. With unique characteristics, tailor-made for tough environmental conditions, Fibrocem Protection Systems stand up to the most rigorous demands including graffiti, fire, impact, chemicals, climate and daily wear and tear. At Fibrocem we are committed to creating innovative products that stand the test of time.

Fibrocem Wall Protection Systems are both functional and decorative. They give your walls the protection they need to withstand today's environment but they also reduce the whole life cost of decoration. Modern, high-specification commercial and residential buildings demand quality products. But Fibrocem is more than just a materials supplier. We are dedicated to your needs and always on-hand to support and advise, so when you use a Fibrocem product we become your project partner.



Product and technical literature hotline  
**01845 578555**

FIBROCEM.

Wetherby Group of Companies,  
Dalton Industrial Estate,  
Dalton, North Yorkshire, YO7 3HE.

Tel: 01845 578555

Fax: 01845 578777

E-mail: [info@fibrocem.com](mailto:info@fibrocem.com)

Web: [www.fibrocem.com](http://www.fibrocem.com)

**WETHERBY**  
GROUP OF COMPANIES

**DISCLAIMER**

To the best of our knowledge and belief, this information is true and accurate, but as conditions of use and any labour involved are beyond our control, the end user must satisfy himself by prior testing that the product is suitable for his specific application, and no responsibility can be accepted, or any warranty given by our Representatives, Agents or Distributors. Products are sold subject to our Standard Conditions of Sale and the end user should ensure that he has consulted our latest literature.